# F L Y B R I D G E

- Multi-award-winning design and seakeeping
- Deep windows wrap around the entire main deck
- Versatile accommodation for up to six guests
- Flybridge with dining and convertible seating to create a sunpad

77

. .

PRINCESS 43







The amount of interior space is remarkable as is the level of luxury on offer. Indulgent gloss or pure satin cabinetry, two incredible en suites, each with its own separate shower stall, and a comprehensively equipped galley underpin the high specification of this award-winning yacht.

The forward master cabin enjoys excellent headroom and includes plentiful stowage, while the guest cabin can be specified with electrically sliding berths to effortlessly convert a double cabin into a twin.





FLYBRIDGE





MAIN DECK

LOWER DECK



# DECK FITTINGS

- Teak-laid transom platform, cockpit deck, flybridge stairway and stairs to side decks
- Reversible electric anchor winch with foredeck, helm position and flybridge controls
- Self-stowing 20kg/44lbs Delta anchor with 40m of
- chain
- Stainless-steel cleats, fairleads and handrails Dual station remote control searchlight
- COCKPIT
- Upholstered seating with folding teak table
- Locker housing 240v shore support inlet
- Lockable gas strut assisted hatch to engine room/ lazerette
- Overboard vented, self-draining locker for 2 gas bottles
- Twin transom gates leading to bathing platform (with optional electro-hydraulic raise/lower mechanism)
- Transom bathing platform with foldaway swimming ladder, hot and cold shower
- Dinghy chock system
- Liferaft storage locker
- Cockpit cover

### FLYBRIDGE

- Dual station instrumentation, controls and alarm system including VHF/RT, speed and distance log, echo sounder with alarm and autopilot
- Large U-shaped upholstered seating with folding teak table
- L-shaped seat (converts to sunbed)
- Loudspeakers linked to saloon stereo
- Refrigerated top loading coolbox
- Console and seat cover

### LOWER HELM POSITION

- Twin helm seats with fore and aft adjustment for helmsman
- Full engine instrumentation including fuel gauges, exhaust temperature and engine warning system and
- rudder position indicator Navigation system including VHF/RT, speed and
- distance log, echo sounder with alarm, autopilot and high speed magnetic compass
- Controls for bow thruster, windscreen wipers, bilge
- pump and trim tabs (with indicator)
- Chart table with light and chart stowage
- 24v and 220/240v electrical control panels
- Black mesh sunscreen
- 12v outlet
- Red night lighting
- Sliding tinted side window adjacent to helmsman

# PRINCIPAL DIMENSIONS

DECK SALOON

speakers

GALLEY

Hob extractor

Waste bin

Chopping board

for washer/drver

ACCOMMODATION

OWNER'S CABIN

• En suite bathroom

Bedside table

Vanity unit

Wardrobe with shelves

• Storage lockers and drawers

STARBOARD GUEST CABIN

powered sliding berth)

• Wardrobe with shelves

Storage lockers and drawers

to double berth)

• Moveable 2-seater sofa

Clock and barometer

• Triple stainless-steel framed sliding doors to cockpit

• Stereo radio/MP3 player with saloon and flybridge

• Optional TV on electric raise/lower mechanism

and space for optional refrigerator

• 3-zone gas hob with flame-failure device

• Refrigerator with freezer compartment

• Dedicated crockery and cutlery stowage

Under-floor storage compartment

All mattresses pocket sprung

Stainless-steel sink with monobloc mixer tap

• Storage lockers and provision for dishwasher

• All cabins feature 220/240v power points

• Large double bed with drawers below

Deck hatch with flyscreen and blind

• Overhead and individual berth lights

• Overhead and individual berth lights

• En suite bathroom with day access

• U-shaped sofa with dining table to starboard (converts

• Sideboard units with glass, bottle and general storage

• Combination microwave/conventional oven with grill

• Lift up stairs with storage compartment and provision

• All cabins and bathrooms feature opening portholes

quietflush toilets, extractor fan and 240v shaver points

• All bathrooms feature full shower stalls, electric

• Two single beds with storage below (with option of

Length overall (inc pulpit)	47ft 6in (14.5m)
Length overall (excl pulpit)	46ft 4in (14.14m)
Beam	13ft 11in (4.25m)
Draft	3ft 9in (1.14)
Displacement approx	15,100kg (33,300lbs)*
Fuel capacity	300 gal/360 US gal/1,363I
Water capacity (incl calorifier)	100 gal/120 US gal/455I

### INTERIOR FINISH

- Furniture in choice of Serotina Cherry or Light Oak with satin or high gloss finish. American Walnut or Rovere
- Avonite worktops and tiled floors in all guest
- Avonite worktop and timber-laid floor in galley
- from extensive range
- Curtains, blinds or sunscreens to all windows and portholes

### POWER AND DRIVE SYSTEMS

- 4-bladed propellers in nickel aluminium bronze
- Bow thruster (80kgf/176lbf)
- Power-assisted electronic steering system with
- hydraulic back-up

### 24 Volt:

- 2 x heavy-duty batteries for engine starting
- 4 x heavy-duty auxiliary batteries
- 40 amp battery charger charges both banks of
- batteries via an automatic switch charging system
- LED lighting throughout
- Shore support inlet in cockpit locker with storage for

- Power points to all areas

### FUEL SYSTEM

- Twin fuel tanks (in NS8 marine grade alloy) with interconnection system giving 300 gal/360 US gal/1,363l capacity
- Fuel fillers on port and starboard side decks
- High-capacity fuel filters/water traps
- Remote fuel isolation controls in cockpit locker

# WATER SYSTEM

- 93 gal/112 US gal/4231 plus 7 gal/8 US gal/321 hot water
- calorifier, heated by engine and 240v immersion heater
- Water level gauge

# ENGINE OPTIONS - DIESEL

Twin Volvo Penta D6-435 (2 x 435mhp)	Speed range: 28-30 knots <sup>+</sup>
Twin Cummins QSB6.7-550 (2 x 550mhp)	Speed range: 30-32 knots <sup>+</sup>

FIRE EXTINGUISHERS

Automatic electric bilge pumps (4)

and suction points in same areas

• Fenders (4) and warps (4)

OTHER ITEMS SUPPLIED AS STANDARD

BILGE PUMPS

Ensign staff

First aid kit

• Tool kit Set of manuals

- Oak available as options
- bathrooms
- Choice of high quality carpet and upholstery fabric

- Electronic engine and gear shift controls
- Engine room extractor fan
- Dripless shaft seals

# ELECTRICAL SYSTEM

- Battery link facility with remote control at helm
- position

## 220/240 Volt:

- cable
- Polarity check system
- Earth leakage safety trip



• Automatic/manual override fire extinguishers in engine room with warning system at both helm positions • Hand-operated fire extinguishers (4) in forward stateroom, starboard cabin, galley and lower helm

High-capacity manual bilge pump with valve system

• Quilted bedspreads supplied to all cabins