



• Four spacious cabins with private stairway to owner's stateroom

- Separate accommodation for two crew
- Aft galley configuration for flexible entertaining
- Hydraulic bathing platform for tender launch and recovery
- Optional hardtop and crane enabling flybridge tender stowage
- Private foredeck and transom seating a first for a yacht of this size

Surrounded by sun, sea – and light.

1

NOT IN T








FLYBRIDGE





MAIN DECK

LOWER DECK



DECK FITTINGS

- Teak-laid transom platform, cockpit deck, flybridge,
- flybridge stairway and stairs to side decks
- Self-stowing 40kg/88lbs Delta anchor with 40m chain
 Reversible electric anchor winch with foredeck, helm
- position and flybridge controls
- Stainless-steel cleats, fairleads and handrails
- Twin electric-powered sternline mooring winches
- Freshwater deck/anchor wash
- Foredeck escape hatch
- Foredeck seating and sunbathing area
- Fender lockers and foredeck rope locker
- LED deck level lighting

соскріт

- U-shaped seating and teak folding table
- Twin transom gates leading to bathing platform with electro-hydraulic raise/lower mechanism, foldaway swimming ladder, hot and cold shower
- Transom seat in teak with storage locker
- Lockable gas strut assisted hatch to engine room and lazarette
- Access to aft lazarette/optional crew cabin via transom door
- Liferaft stowage locker
- Cockpit cover

FLYBRIDGE

- Dual station instrumentation, controls and alarm system including VHF/RT, speed and distance log, echo sounder with alarm and autopilot
- U-shaped seating area with teak table
- L-shaped seat (converts to sunbed)
- Sunpad aft with storage below
- Radio/MP3 with waterproof speakers
- Radio/MFS with waterproof speakers
- Wetbar including sink with electric barbecue and drawer refrigerator
- Console and seat covers

LOWER HELM POSITION

- Twin helm seats with fore and aft adjustment for helmsman
- Helmsman's door to side deck
- Full engine instrumentation including fuel gauges, exhaust temperature, fuel contamination alarms, rudder position indicator
- Navigation system including colour radar, GPS and chartplotter, VHF R/T, speed and distance log, echo sounder with alarm, autopilot and high speed magnetic compass
- Controls for bow thruster, windscreen wipers, bilge pump and trim tabs (with indicator)

PRINCIPAL DIMENSIONS

Length overall (excl. pulpit)	69ft 9in (21.25m)
Beam	17ft 8in (5.38m)
Draft	5ft 2in (1.58m)
Displacement approx.	37,500kg (82,673lbs)
Fuel capacity	900 gal/1,080 US gal/4,1001
Water capacity (incl. calorifier)	183 gal/220 US gal/836l

ENGINE OPTIONS - DIESEL

Twin Caterpillar C18 A (2 x 1,150mhp)	Speed range: 30-32 knd
Twin MAN V8 (2 x 1,200mhp)	Speed range: 31-33 kno
Twin MAN V12 (2 x 1,400mhp)	Speed range: 33-35 knd

cooled specially silenced exhaust

Remote fuel cocks in cockpit locker

Fuel gauges at lower helm console

63-amp shore support inlet

breakers on all circuits

• Power points in all areas

gal/4,100l capacity

FUEL SYSTEM

WATER SYSTEM

heater • Water level gauge

room

Deck filler

gal/272l holding tank

FIRE EXTINGUISHERS

and lower helm (6)

Automatic electric bilge pumps (6)

and suction points in same areas

• Set of cutlery, crockery and glasses

• Set of towels (8 large, 8 small)

• Fenders (6) and warps (4)

OTHER ITEMS SUPPLIED AS STANDARD

BILGE PUMPS

Ensign staff

First aid kit

Set of manuals

- Chart table with light and chart stowage
- 24v and 240v control panel
- 12v outlet
- Red night lighting
- Toughened glass screen (clear for night vision)

DECK SALOON

- Triple opening stainless-steel framed sliding doors to aft cockpit with integrated hinging window aft of galley
- U-shaped sofa and coffee table
- Two-seater sofa
- L-shaped seat opposite helm area with electric opening window to port
- Entertainment centre incorporating 46" LED TV on electric raise/lower mechanism and DVD, radio/MP3 system with surround sound system
- Sideboard unit with bottle and glass storage, refrigerator and icemaker
- Separate access to master stateroom
- Aft dining area

GALLEY

- 4-zone ceramic hob
- Combination microwave/conventional oven with grill
- Twin stainless-steel sinks with mixer tap
- Full height fridge/freezer
- Dishwasher
- Storage lockers, cupboards and drawers

ACCOMMODATION

- All cabins and bathrooms feature opening portholes
- All cabins feature 220/240v power points
- All mattresses pocket sprung (excluding crew)
 All bathrooms feature full shower stalls, electric
- quietflush toilets, extractor fan and 240v shaver points
- A combination washer/dryer is fitted in the stateroom lobby

OWNER'S STATEROOM

- Large double bed with drawers below
- Twin wardrobes with shelves
- Dressing table
- Sofa
- 40" LED TV and DVD, radio/MP3 system with surround sound
- Overhead and concealed lighting
- En suite bathroom

FORWARD GUEST CABIN

- Large double bed with drawers below
- Wardrobe with shelves
- Dressing table with stool

- Deck hatch with skylight and blind
- Overhead and individual berth lights En suite bathroom
- En suite butinoom

PORT AND STARBOARD GUEST CABINS

- Two single beds (with the option of powered conversion to double)
- Wardrobe with shelves
- Storage lockers and drawers
- Overhead and concealed lighting
- En suite bathroom (with day access to starboard bathroom)

OPTIONAL AFT CABIN

- Two single beds with storage below
- Wardrobe with shelf
- Storage lockers and drawers

POWER AND DRIVE SYSTEMS

• Bow thruster (170kgf/375lbf)

hydraulic back-up

Dripless shaft seals

ELECTRICAL SYSTEM

• LED lighting throughout

24 Volt:

main panel

220/240 Volt:

- Overhead and individual berth lights
- En suite bathroom with stall shower

INTERIOR FINISH

- Furniture in choice of Serotina Cherry or Light Oak with satin or high gloss finish. American Walnut or Rovere Oak available as an option
- Avonite worktops and tiled floors in all guest
 bathrooms
- Avonite worktop and timber-laid floor in galley
- Choice of high quality carpet and upholstery fabric from extensive range
- Curtains, blinds or sunscreens to all windows and portholes

5-bladed propellers in nickel aluminium bronze

• Electronic engine and gear shift controls

4 x heavy duty batteries for engine starting

80 amp battery charger charges both banks of

batteries via an automatic switch charging system

• Remote battery master switches with control switch at

• 4 x heavy duty auxiliary batteries

• Power-assisted electro-hydraulic steering system with

• Engine room extractor fan with electronic time delay

ots†	
ots†	
ots†	

• 11kW diesel generator in own sound shield with water

• Earth leakage safety trip, polarity check system, circuit

• Twin fuel tanks (in NS8 marine grade alloy) with interconnection system giving 900 gal/1,080 US

Fuel fillers on port and starboard side decks
High capacity duplex fuel filters/water traps with audible and visual fuel contamination warning system

• 184 gal/221 US gal/ 8361 plus 16 gal/19 US gal/731 hot water calorifier, heated by engines and 240v immersion

• Electric quietflush WC system with 60 gal/72 US

• Automatic/manual override fire extinguishers in engine

• Hand-operated fire extinguishers in all cabins, galley

• High capacity manual bilge pump with valve system